## DT04 Rec'd PCT/PT0 1 4 OCT 2007

## **Amendments to the Claims**

- 1. (Original) A method for producing a monoclonal antibody, said method comprising the steps of:
  - a) introducing at least one candidate antigen into an animal;
  - b) recovering antibody-producing cells from said animal and rendering these cells into a single cell suspension;
  - c) generating an immortalized cell line from said single cell suspension;
  - d) screening the supernatant of said immortalized cell line against a protein chip on which the candidate antigen is displayed; and
  - (e) selecting as said monoclonal antibody, an antibody that binds to said candidate antigen.
- 2. (Original) The method of claim 1 wherein said animal is a mouse, a rat, a guinea pig or a rabbit.
- 3. (Currently amended) The method of claim 1 or claim 2 wherein said candidate antigen is a purified candidate antigen.
- 4. (Original) The method of claim 3 wherein between one and fifty different purified candidate antigens are introduced into the animal.
- 5. (Original) The method of claim 4 wherein between 0.001 and 1000 micrograms of each antigen is introduced into the animal.
- 6. (Currently amended) The method of any one of claims 1 to 5 claim 1 comprising the additional step of supplying the animal with a booster dose of some or all of the antigens which were introduced into the animal prior to the removal of antibody-producing cells.

- 7. (Currently amended) The method of any one of claims 1 to 6 claim 1 wherein the antibody-producing cells are B cells, T cell or stem cells.
- 8. (Currently amended) The method of any one of claims 1 to 7 claim 1 wherein the antibody-producing cells are recovered by removal of spleen tissue, lymph nodes or bone marrow of the animal.
- 9. (Currently amended) The method of any one of claims 1 to 8 claim 1 wherein the immortalized cell line is a hybridoma cell line produced by somatic fusion of the cells in the single cell suspension to myeloma cells.
- 10. (Currently amended) The method of any one of claims 1 to 9 claim 1 wherein said protein chip is a plain-glass slide, a 3D gel pad chip, a microwell chip or a cell chip.
- 11. (Currently amended) The method of any one of claims 1 to 10 claim 1 wherein the step of detecting the monoclonal antibodies bound to the antigens further comprises isotyping the monoclonal antibodies.
- 12. (Original) The method of claim 11 wherein said step of detecting and isotyping the monoclonal antibodies comprises adding isotype specific anti-immunoglobulin antibodies to said protein chip, wherein each anti-immunoglobulin antibody having a different isotype specificity has a different label, and detecting the presence of said labels.
- 13. (Currently amended) The method of any one of claims 1 to 12 claim 1 further comprising assessing the specificity with which each isolated monoclonal antibody binds to an antigen using a protein chip comprising said antigen.

- 14. (Original) A high-throughput method for producing a plurality of monoclonal antibodies, each of which binds to a different candidate antigen, comprising the steps of:
  - a) introducing a plurality of candidate antigens into an animal;
  - b) recovering antibody-producing cells from said animal and rendering these cells into a single cell suspension;
  - c) generating immortalized cell lines from said single cell suspension;
  - screening the supernatant of said immortalized cell lines against one
     or more protein chips on which the candidate antigens are displayed; and
  - e) selecting as said monoclonal antibodies, antibodies that bind to said candidate antigens.
- 15. (Currently amended) A method according to claim 14, high-throughput method for producing a plurality of monoclonal antibodies, each of which binds to a different candidate antigen, comprising the steps of:
  - a) introducing a plurality of candidate antigens into an animal;
  - b) recovering antibody-producing cells from said animal and rendering these cells into a single cell suspension;
  - c) generating immortalized cell lines from said single cell suspension;
  - d) screening the supernatant of said immortalized cell lines against one or more protein chips on which the candidate antigens are displayed; and
  - e) selecting as said monoclonal antibodies, antibodies that bind to said candidate

    antigens, which further comprises any of the steps recited in any one of claims 1 to

    13 claim 1.
- 16. (Currently amended) A method for producing an <u>immortalised immortalized</u> cell line that produces a monoclonal antibody of interest, said method comprising the steps of:
  - a) introducing at least one candidate antigen into an animal;

1 , 11

- b) recovering antibody-producing cells from said animal and rendering these cells into a single cell suspension;
- c) generating an immortalized cell line from said single cell suspension;
- d) screening the supernatant of said immortalized cell line against a protein chip on which the candidate antigen is displayed; and
- e) selecting as said <u>immortalised</u> <u>immortalized</u> cell line, that which produces a supernatant containing an antibody that binds to said candidate antigen.
- 17. (Currently amended) An immortalised immortalized cell line isolated by the method of claim 16.
- 18. (Original) A method for producing a plurality of monoclonal antibodies, each of which binds to a different purified candidate antigen, comprising introducing a plurality of purified candidate antigens into an animal, each purified candidate antigen being derived from a different source.
- 19. (Currently amended) A method according to claim 18 method for producing a plurality of monoclonal antibodies, each of which binds to a different purified candidate antigen, comprising introducing a plurality of purified candidate antigens into an animal, each purified candidate antigen being derived from a different source, which further comprises any of the steps recited in any one of claims 1 to 13 claim 1.
- 20. (Currently amended) A monoclonal antibody isolated by the method of any one of claims 1 to 16 or 18 to 19 claim 1.
  - 21. (Original) An antibody according to claim 20 which is an anti-idiotype antibody.
  - 22. (Original) An antibody according to claim 21 which is an anti-anti-idiotype antibody.

1 103

23. (Currently amended) An immortalized cell line producing a monoclonal antibody of claim 20, claim 21 or claim 22.

- 24. (Currently amended) An immortalized cell <u>line</u> according to claim 23 which is a hybridoma cell line.
- 25. (Currently amended) A bank of antibodies according to claim 20, claim 21 or claim 22.
- 26. (Currently amended) A bank of immortalized cell lines according to claim 15; claim 21 or claim 22.